

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	41	"BRICKELL, ERNIE"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/21 22:41
L2	69	"5680547"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/21 22:24
L14	22	"5987131"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/21 22:42
L15	2883	713/168	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/21 22:42
L16	2	l15 and ("exponent" with ("bit" adj "length"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/21 22:44
L17	1376	713/156	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/21 22:44
L18	1	l17 and ("exponent" with ("bit" adj "length"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/21 22:44
L19	1143	713/171	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/21 22:44
L20	2	l19 and ("exponent" with ("bit" adj "length"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/21 22:45
L21	1292	726/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/21 22:45
L22	0	l21 and ("exponent" with ("bit" adj "length"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/21 22:46

EAST Search History

L23	186	726/16.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/21 22:46
L24	0	l23 and ("exponent" with ("bit" adj "length"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/21 22:54
L25	154	("exponent" with ("bit" adj "length"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/07/21 22:54

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)

exponent with 160 bits in length

Search Patents

[Advanced Patent Search](#)
[Google Patent Search Help](#)The following words are very common and were not included in your search: **with in**. [\[details\]](#)

Patents

Patents 1 - 10 on exponent with 160 bits in length. (0.13 seconds)

Method and apparatus for encoding and decoding audio information

US Pat. 5479562 - Filed Jun 18, 1993 - Dolby Laboratories Licensing Corporation

The total number of **exponent** and mantissa **bits** for one frame of a DCT/DST block pair is 1344 **bits**. Of this **length**, 168 **bits** are subband and master exponents ...

Cryptographic key exchange using pre-computation

US Pat. 5987131 - Filed Aug 18, 1997 - PictureTel Corporation

A common choice of **exponent length** is **160 bits** for proof against a meet-in-the-middle attack needing about 280 operations, which is believed to be ...

Digital signature purpose encoding

US Pat. 6023509 - Filed Sep 30, 1996 - Intel Corporation

A hash function takes any arbitrary **length** input data stream and converts it ... **length**) into an output hash value of fixed size (128 **bits** for MD5 and **160** ...

Digital signature purpose encoding

US Pat. 6199053 - Filed Apr 8, 1999 - Intel Corporation

A hash function takes any arbitrary **length** input data stream and converts it ... **length**) into an output hash value of fixed size (128 **bits** for MD5 and **160** ...

Method and apparatus for split-band encoding and split-band decoding of audio information using ...

US Pat. 5752225 - Filed Jun 7, 1995 - Dolby Laboratories Licensing Corporation

Eight **bits** for the two master **exponent** than two blocks into a frame, formatting two or more blocks subband exponents brings the DCT/DST block pair **length** to ...

Fraction bus for use in a numeric data processor

US Pat. 4484259 - Filed Jan 22, 1982 - Intel Corporation

The microcode program is not described data format is read from **exponent ROM 160** into expo- herein for the sake of brevity, but can be derived from 40 nent ...

High-speed modulo exponentiator device

US Pat. 5289397 - Filed Jul 22, 1991 - ITT Corporation

Instead, the **exponent** may be loaded during the exponentiation computation next-to-most-significant bit first, and the **exponent bits** are used as they are ...

Local-area augmentation system for satellite navigation precision-approach system ...

US Pat. 5786773 - Filed Oct 2, 1996 - The Boeing Company

The digest 622 contains **160 bits**, enough to make derivation of an 15 impostor ... Products of 1000 **bits in length** are thought to be beyond factoring for the ...

LEFT OR RIGHT

US Pat. 3701976 - Filed Jul 13, 1970 - Bell Telephone Laboratories

Thus, for example, the calculation of the words, each containing 32 **bits**. ... will occur to those skilled in the The **length** of the **exponent** portion of a ...

Method for generating pseudo-random numbers

US Pat. 6285761 - Filed Mar 4, 1998 - Lucent Technologies, Inc.

Let $n = \log p$ be the **length** of 50 p in binary, then $g^* \bmod p$ is computable in Poly

... reduces the complexity to $O(280)$ since the **exponent** is only **160 bits**. ...

Gooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

exponent with 160 bits in length

Search Patents

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google